

WEST Search History

DATE: Thursday, October 09, 2003

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=OR</i>			
L10	L9 AND erythropoietin	528	L10
L9	L8 AND iron	2820	L9
L8	anemia	15599	L8
L7	L6 AND anemia	37	L7
L6	L5 AND iron	85	L6
L5	L4 AND erythropoietin	422	L5
L4	((514/2)!.CCLS.)	5408	L4
L3	Lehmann-Paul.IN.	22	L3
L2	Lehmann-P.IN.	125	L2
L1	(Lehmann.IN.)	6171	L1

END OF SEARCH HISTORY

Search for

Show:

Items 1-80 of 80

1: [Kalantar-Zadeh K, McAllister CJ, Lehn RS, Lee GH, Nissenson AR, Kopple JD.](#) Related Articles, Links

Effect of malnutrition-inflammation complex syndrome on EPO hyporesponsiveness in maintenance hemodialysis patients. *Am J Kidney Dis.* 2003 Oct;42(4):761-73. PMID: 14520627 [PubMed - in process]

2: [Rodriguez Palomares JR, Fanlo B, Albarracin C, Junquera E.](#) Related Articles, Links

[Changes in iron metabolism and erythropoietin requirements after the switch from ferric gluconate to iron saccharose. Is it worth the increased expense?] *Nefrologia.* 2003;23(2):181-2. Spanish. No abstract available. PMID: 12778887 [PubMed - indexed for MEDLINE]

3: [Panesar A, Agarwal R.](#) Related Articles, Links

Safety and efficacy of sodium ferric gluconate complex in patients with chronic kidney disease. *Am J Kidney Dis.* 2002 Nov;40(5):924-31. PMID: 12407636 [PubMed - indexed for MEDLINE]

4: [van Zyl-Smit R, Halkeit JA.](#) Related Articles, Links

Experience with the use of an iron polymaltose (dextrans) complex given by single total dose infusion to stable chronic haemodialysis patients. *Nephron.* 2002 Oct;92(2):316-23. PMID: 12218309 [PubMed - indexed for MEDLINE]

5: [London R, Solis A, Goldberg GA, Wade S, Ryu S.](#) Related Articles, Links

Health care resource utilization and the impact of anemia management in patients with chronic kidney disease. *Am J Kidney Dis.* 2002 Sep;40(3):539-48. PMID: 12200806 [PubMed - indexed for MEDLINE]

6: [Anuradha S, Singh NP, Agarwal SK.](#) Related Articles, Links

Total dose infusion iron dextran therapy in predialysis chronic renal failure patients. *Ren Fail.* 2002 May;24(3):307-13. PMID: 12166697 [PubMed - indexed for MEDLINE]

7: [Besarab A, Dalton CL.](#) Related Articles, Links

Maintaining higher TSATs and other iron indices is beneficial in management of anemic hemodialysis patients. *Nephrol Nurs J.* 2001 Aug;28(4):429-34. Review. PMID: 12143465 [PubMed - indexed for MEDLINE]

8: [Trenkle JA.](#) Related Articles, Links

- replacement in hemodialysis patients.
Nephrol Nurs J. 2001 Oct;28(5):561-5. Review.
PMID: 12143432 [PubMed - indexed for MEDLINE]

 9: [Perewusnyk G, Huch R, Huch A, Breymann C.](#) Related Articles, Links
- Parenteral iron therapy in obstetrics: 8 years experience with iron-sucrose complex.
Br J Nutr. 2002 Jul;88(1):3-10. Review.
PMID: 12117422 [PubMed - indexed for MEDLINE]

 10: [de Francisco AL, Fernandez Fresnedo G, Rodrigo E, Pinera C, Heras M, Palomar R, Ruiz JC, Arias M.](#) Related Articles, Links
- Past, present and future of erythropoietin use in the elderly.
Int Urol Nephrol. 2002;33(1):187-93. Review.
PMID: 12090329 [PubMed - indexed for MEDLINE]

 11: [Silverberg DS, Wexler D, Blum M, Sheps JD, Schwartz D, Yachnin T, Baruch R, Tchebiner I, Zukov A, Shaked M, Steinbruch S, Keren G, Iaina A.](#) Related Articles, Links
- Aggressive therapy of congestive heart failure and associated chronic renal failure with medications and correction of anemia stops or slows the progression of both diseases.
Perit Dial Int. 2001;21 Suppl 3:S236-40.
PMID: 11887828 [PubMed - indexed for MEDLINE]

 12: [Zhu H, Jackson T, Bunn HF.](#) Related Articles, Links
- Detecting and responding to hypoxia.
Nephrol Dial Transplant. 2002;17 Suppl 1:3-7. Review.
PMID: 11812905 [PubMed - indexed for MEDLINE]

 13: [Lacson E Jr, Diaz-Buxo JA.](#) Related Articles, Links
- The treatment of anemia in peritoneal dialysis patients.
Clin Nephrol. 2001 Dec;56(6):415-27. Review.
PMID: 11770793 [PubMed - indexed for MEDLINE]

 14: [Hudson JO, Comstock TJ.](#) Related Articles, Links
- Considerations for optimal iron use for anemia due to chronic kidney disease.
Clin Ther. 2001 Oct;23(10):1637-71. Review.
PMID: 11726002 [PubMed - indexed for MEDLINE]

 15: [Breymann C, Anæmia Working Group.](#) Related Articles, Links
- [Current aspects of diagnosis and therapy of iron deficiency anemia in pregnancy]
Schweiz Rundsch Med Prax. 2001 Aug 2;90(31-32):1283-91. Review. German.
PMID: 11519193 [PubMed - indexed for MEDLINE]

 16: [Prakash S, Walele A, Dimkovic N, Bargman J, Vas S, Oreopoulos D.](#) Related Articles, Links
- Experience with a large dose (500 mg) of intravenous iron dextran and iron saccharate in peritoneal dialysis patients.
Perit Dial Int. 2001 May-Jun;21(3):290-5.
PMID: 11475345 [PubMed - indexed for MEDLINE]

 17: [Jacobs P, Wood L, Bird AR.](#) Related Articles, Links
- Erythrocytes: Better Tolerance of Iron Polymaltose Complex Compared with Ferrous Sulphate in the Treatment of Anaemia.
Hematology. 2000;5(1):77-83.
PMID: 11399604 [PubMed - as supplied by publisher]

□ 18: [Hobisch-Hagen P, Wiedermann J, Mayr A, Fries D, Jelkmann W](#) Related Articles, Links
Fuchs D, Hasibeder W, Mutz N, Klingler A, Schobersberger W.

Blunted erythropoietic response to anemia in multiply traumatized patients.
Crit Care Med. 2001 Apr;29(4):743-7.
PMID: 11373460 [PubMed - indexed for MEDLINE]

□ 19: [Fishbane S, Wagner J](#) Related Articles, Links
Sodium ferric gluconate complex in the treatment of iron deficiency for patients on dialysis.
Am J Kidney Dis. 2001 May;37(5):879-83. Review.
PMID: 11325667 [PubMed - indexed for MEDLINE]

□ 20: [Silverberg DS, Blum M, Agbaria Z, Deutsch V, Irony M, Schwartz D, Baruch R, Yachnin T, Steinbruch S, Jaina A](#) Related Articles, Links
The effect of i.v. iron alone or in combination with low-dose erythropoietin in the rapid correction of anemia of chronic renal failure in the predialysis period.
Clin Nephrol. 2001 Mar;55(3):212-9.
PMID: 11316241 [PubMed - indexed for MEDLINE]

□ 21: [Hori WH](#) Related Articles, Links
Should we still use iron dextran in hemodialysis patients?
Am J Kidney Dis. 2001 Apr;37(4):859-61. Review. No abstract available.
PMID: 11273888 [PubMed - indexed for MEDLINE]

□ 22: [Fletes R, Lazarus JM, Gage J, Chertow GM](#) Related Articles, Links
Suspected iron dextran-related adverse drug events in hemodialysis patients.
Am J Kidney Dis. 2001 Apr;37(4):743-9.
PMID: 11273874 [PubMed - indexed for MEDLINE]

□ 23: [Allen JR, Trodile LK, Juergensen PH, Klinger AS, Finkelstein FO](#) Related Articles, Links
Incidence of peritonitis in chronic peritoneal dialysis patients infused with intravenous iron dextran.
Perit Dial Int. 2000 Nov-Dec;20(6):674-8.
PMID: 11216558 [PubMed - indexed for MEDLINE]

□ 24: [McCarthy JT, Regnier CE, Loebertmann CL, Bergstrahl EJ](#) Related Articles, Links
Adverse events in chronic hemodialysis patients receiving intravenous iron dextran--a comparison of two products.
Am J Nephrol. 2000 Nov-Dec;20(6):455-62.
PMID: 11146312 [PubMed - indexed for MEDLINE]

□ 25: [Greenbaum LA, Pan CG, Caley C, Nelson T, Sheth KJ](#) Related Articles, Links
Intravenous iron dextran and erythropoietin use in pediatric hemodialysis patients.
Pediatr Nephrol. 2000 Sep;14(10-11):908-11.
PMID: 10975297 [PubMed - indexed for MEDLINE]

□ 26: [Van Wyk DB, Cavallito G, Spinowitz BS, Adhikaria R, Gagnon S, Charytan C, Levin N](#) Related Articles, Links
Safety and efficacy of iron sucrose in patients sensitive to iron dextran: North American clinical trial.
Am J Kidney Dis. 2000 Jul;36(1):88-97.
PMID: 10873877 [PubMed - indexed for MEDLINE]

□ 27: [Mars RL, Moles K, Pope K, Hargrove P](#) Related Articles, Links
Use of bolus intraperitoneal iron dextran in continuous ambulatory

 peritoneal dialysis or continuous cyclic peritoneal dialysis patients receiving recombinant human erythropoietin.
Adv Perit Dial. 1999;15:60-4.
PMID: 10682073 [PubMed - indexed for MEDLINE]

 28: [Peacock E, Lindenfeld SM.](#) Related Articles, Links
Clinical practice guidelines for maintaining adequate iron status with intravenous iron dextran in hemodialysis patients.
ANNA J. 1999 Jun;26(3):337-43. Review.
PMID: 10633605 [PubMed - indexed for MEDLINE]

 29: [Bailie GR, Johnson CA, Mason NA.](#) Related Articles, Links
Parenteral iron use in the management of anemia in end-stage renal disease patients.
Am J Kidney Dis. 2000 Jan;35(1):1-12. Review.
PMID: 10620537 [PubMed - indexed for MEDLINE]

 30: [Yamaguchi T, Baxter JG, Maebashi N, Asano T.](#) Related Articles, Links
Oral phosphate binders: phosphate binding capacity of iron (III) hydroxide complexes containing saccharides and their effect on the urinary excretion of calcium and phosphate in rats.
Ren Fail. 1999 Sep;21(5):453-68.
PMID: 10516989 [PubMed - indexed for MEDLINE]

 31: [Mittman N.](#) Related Articles, Links
Iron replacement in rHuEPO-treated dialysis patients: DOQI and beyond.
Am J Kidney Dis. 1999 Jul;34(1):173-6. No abstract available.
PMID: 10401035 [PubMed - indexed for MEDLINE]

 32: [Besarab A, Kaiser JW, Frinak S.](#) Related Articles, Links
A study of parenteral iron regimens in hemodialysis patients.
Am J Kidney Dis. 1999 Jul;34(1):21-8.
PMID: 10401011 [PubMed - indexed for MEDLINE]

 33: [Atherton DJ, Cox I, Hann I.](#) Related Articles, Links
Intravenous iron (III) hydroxide-sucrose complex for anaemia in epidermolysis bullosa.
Br J Dermatol. 1999 Apr;140(4):773. No abstract available.
PMID: 10233353 [PubMed - indexed for MEDLINE]

 34: [Barrett BJ.](#) Related Articles, Links
Managing progressive renal disease before dialysis.
Can Fam Physician. 1999 Apr;45:977-84.
PMID: 10216796 [PubMed - indexed for MEDLINE]

 35: [Silverberg DS, Blum M, Agbaria Z, Schwartz D, Zubkov A, Yachnin T, Iaina A.](#) Related Articles, Links
Intravenous iron for the treatment of predialysis anemia.
Kidney Int Suppl. 1999 Mar;69:S79-85. Review.
PMID: 10084291 [PubMed - indexed for MEDLINE]

 36: [Nissenson AR, Lindsay RM, Swan S, Seligman P, Strohos J.](#) Related Articles, Links
Sodium ferric gluconate complex in sucrose is safe and effective in hemodialysis patients: North American Clinical Trial.
Am J Kidney Dis. 1999 Mar;33(3):471-82.
PMID: 10070911 [PubMed - indexed for MEDLINE]

 37: [Faich G, Strohos J.](#) Related Articles, Links

 Sodium ferric gluconate complex in sucrose: safer intravenous iron therapy than iron dextrans.
Am J Kidney Dis. 1999 Mar;33(3):464-70. Review.
PMID: 10070910 [PubMed - indexed for MEDLINE]

 38: [Driver PS.](#) Related Articles, Links
 Cost-effectiveness impact of iron dextran on hemodialysis patients' use of epoetin alfa and blood.
Am J Health Syst Pharm. 1998 Dec 15;55(24 Suppl 4):S12-6.
PMID: 9872688 [PubMed - indexed for MEDLINE]

 39: [Sloand JA, Shelly MA, Erenstone AL, Schiff MJ, Talley TR, Dhakal MP.](#) Related Articles, Links
 Safety and efficacy of total dose iron dextran administration in patients on home renal replacement therapies.
Perit Dial Int. 1998 Sep-Oct;18(5):522-7.
PMID: 9848632 [PubMed - indexed for MEDLINE]

 40: [Silva J, Andrade S, Ventura H, Santos JP, Colaco S, Oliveira C, Ponce P.](#) Related Articles, Links
 Iron supplementation in haemodialysis--practical clinical guidelines.
Nephrol Dial Transplant. 1998 Oct;13(10):2572-7.
PMID: 9794562 [PubMed - indexed for MEDLINE]

 41: [Park J, Uhlhoff T, Tierney M, Nadler S.](#) Related Articles, Links
 Effect of an intravenous iron dextran regimen on iron stores, hemoglobin, and erythropoietin requirements in hemodialysis patients.
Am J Kidney Dis. 1998 May;31(5):835-40.
PMID: 9590194 [PubMed - indexed for MEDLINE]

 42: [Case G.](#) Related Articles, Links
 Maintaining iron balance with total-dose infusion of intravenous iron dextran.
ANNA J. 1998 Feb;25(1):65-8.
PMID: 9543911 [PubMed - indexed for MEDLINE]

 43: [Saltissi D, Sauvage D, Westhuyzen J.](#) Related Articles, Links
 Comparative response to single or divided doses of parenteral iron for functional iron deficiency in hemodialysis patients receiving erythropoietin (EPO).
Clin Nephrol. 1998 Jan;49(1):45-8.
PMID: 9491286 [PubMed - indexed for MEDLINE]

 44: [Auerbach M, Winchester J, Wahab A, Richards K, McGintley M, Hall P, Anderson J, Briefel G.](#) Related Articles, Links
 A randomized trial of three iron dextran infusion methods for anemia in EPO-treated dialysis patients.
Am J Kidney Dis. 1998 Jan;31(1):81-6.
PMID: 9428456 [PubMed - indexed for MEDLINE]

 45: [Low CL, Bailie GR, Eisele G.](#) Related Articles, Links
 Sensitivity and specificity of transferrin saturation and serum ferritin as markers of iron status after intravenous iron dextran in hemodialysis patients.
Ren Fail. 1997 Nov;19(6):781-8.
PMID: 9415935 [PubMed - indexed for MEDLINE]

 46: [Mittman N, Sreethara R, Mushnick R, Chattopadhyay J, Zelmanovic D, Vaseghi M, Avram MM.](#) Related Articles, Links

 Reticulocyte hemoglobin content predicts functional iron deficiency in hemodialysis patients receiving rHuEPO.
Am J Kidney Dis. 1997 Dec;30(6):912-22.
PMID: 9398141 [PubMed - indexed for MEDLINE]

 **47: Nissenson AR.** Related Articles, Links
 Achieving target hematocrit in dialysis patients: new concepts in iron management.
Am J Kidney Dis. 1997 Dec;30(6):907-11. Review.
PMID: 9398140 [PubMed - indexed for MEDLINE]

 **48: Akeicek F, Ozkayha M, Cirit M, Ok E, Unsal A, Toz H, Celik A, Atabay G, Basci A.** Related Articles, Links
 The efficiency of fractionated parenteral iron treatment in CAPD patients.
Adv Perit Dial. 1997;13:109-12.
PMID: 9360661 [PubMed - indexed for MEDLINE]

 **49: Sunder-Plassmann G, Hori WH.** Related Articles, Links
 Safety aspects of parenteral iron in patients with end-stage renal disease.
Drug Saf. 1997 Oct;17(4):241-50. Review.
PMID: 9352960 [PubMed - indexed for MEDLINE]

 **50: Markowitz GS, Kahn GA, Feingold RE, Coco M, Lynn RL.** Related Articles, Links
 An evaluation of the effectiveness of oral iron therapy in hemodialysis patients receiving recombinant human erythropoietin.
Clin Nephrol. 1997 Jul;48(1):34-40.
PMID: 9247776 [PubMed - indexed for MEDLINE]

 **51: de Prez C, Mermilliod B, Hoffmeyer P, Beris P.** Related Articles, Links
 Recombinant human erythropoietin as adjuvant treatment for autologous blood donation in elective surgery with large blood needs (> or = 5 units): a randomized study.
Transfusion. 1997 Jul;37(7):708-14.
PMID: 9225934 [PubMed - indexed for MEDLINE]

 **52: Takasaki M, Tsurumi N, Konjiki O, Sakurai H, Kanou H, Yanagawa K, Katsunuma H.** Related Articles, Links
 [Causes, diagnosis, and treatment of anemia in the elderly]
Nippon Ronen Igakkai Zasshi. 1997 Mar;34(3):171-9. Review. Japanese.
PMID: 9155190 [PubMed - indexed for MEDLINE]

 **53: Roe DJ, Harford AM, Zager PG, Willbank TB, Kirlin L, Delta Valle AM, Van Wyk DB.** Related Articles, Links
 Iron utilization after iron dextran administration for iron deficiency in patients with dialysis-associated anemia: a prospective analysis and comparison of two agents.
Am J Kidney Dis. 1996 Dec;28(6):855-60.
PMID: 8957037 [PubMed - indexed for MEDLINE]

 **54: Adamson JW.** Related Articles, Links
 Regulation of red blood cell production.
Am J Med. 1996 Aug 26;101(2A):4S-6S. Review.
PMID: 8831423 [PubMed - indexed for MEDLINE]

 **55: Senger JM, Weiss RJ.** Related Articles, Links
 Hematologic and erythropoietin responses to iron dextran in the hemodialysis environment.
ANNA J. 1996 Jun;23(3):319-23; discussion 324-5.
PMID: 8716991 [PubMed - indexed for MEDLINE]

56: [Taylor JE, Peat N, Porter C, Morgan AG.](#) [Related Articles](#), [Links](#)
 Regular low-dose intravenous iron therapy improves response to erythropoietin in haemodialysis patients.
Nephrol Dial Transplant. 1996 Jun;11(6):1079-83.
PMID: 8671972 [PubMed - indexed for MEDLINE]

57: [Hartman KR, Barker JA.](#) [Related Articles](#), [Links](#)
 Microcytic anemia with iron malabsorption: an inherited disorder of iron metabolism.
Am J Hematol. 1996 Apr;51(4):269-75.
PMID: 8602626 [PubMed - indexed for MEDLINE]

58: [Sepandji F, Jindal K, West M, Hirsch D.](#) [Related Articles](#), [Links](#)
 Economic appraisal of maintenance parenteral iron administration in treatment of anaemia in chronic haemodialysis patients.
Nephrol Dial Transplant. 1996 Feb;11(2):319-22.
PMID: 8671786 [PubMed - indexed for MEDLINE]

59: [Fishbane S, Lynn RL.](#) [Related Articles](#), [Links](#)
 The efficacy of iron dextran for the treatment of iron deficiency in hemodialysis patients.
Clin Nephrol. 1995 Oct;44(4):238-40.
PMID: 8575123 [PubMed - indexed for MEDLINE]

60: [Fishbane S, Frei GL, Macsska J.](#) [Related Articles](#), [Links](#)
 Reduction in recombinant human erythropoietin doses by the use of chronic intravenous iron supplementation.
Am J Kidney Dis. 1995 Jul;26(1):41-6.
PMID: 7611266 [PubMed - indexed for MEDLINE]

61: [Fishbane S, Lynn RL.](#) [Related Articles](#), [Links](#)
 The utility of zinc protoporphyrin for predicting the need for intravenous iron therapy in hemodialysis patients.
Am J Kidney Dis. 1995 Mar;25(3):426-32.
PMID: 7872320 [PubMed - indexed for MEDLINE]

62: [Phibbs RH.](#) [Related Articles](#), [Links](#)
 Erythropoietin therapy for extremely premature infants.
J Perinat Med. 1995;23(1-2):127-31. Review.
PMID: 7658312 [PubMed - indexed for MEDLINE]

63: [Nyvad O, Danielsen H, Madsen S.](#) [Related Articles](#), [Links](#)
 Intravenous iron-sucrose complex to reduce epoetin demand in dialysis patients.
Lancet. 1994 Nov 5;344(8932):1305-6. No abstract available.
PMID: 7968018 [PubMed - indexed for MEDLINE]

64: [Denton TA, Diamond GA, Matliff JM, Gray RJ.](#) [Related Articles](#), [Links](#)
 Anemia therapy: individual benefit and societal cost.
Semin Oncol. 1994 Apr;21(2 Suppl 3):29-35. Review.
PMID: 8202723 [PubMed - indexed for MEDLINE]

65: [Novy HS, Pahl M, Haydik L, Vaziri ND.](#) [Related Articles](#), [Links](#)
 Immunologic studies of anaphylaxis to iron dextran in patients on renal dialysis.
Ann Allergy. 1994 Mar;72(3):224-8.
PMID: 7510461 [PubMed - indexed for MEDLINE]

66: [Madura JA](#). Related Articles, Links
 Use of erythropoietin and parenteral iron dextran in a severely anemic Jehovah's Witness with colon cancer.
Arch Surg. 1993 Oct;128(10):1168-70.
PMID: 8215878 [PubMed - indexed for MEDLINE]

67: [Taylor JE, Belch JJ, McLaren M, Henderson IS, Stewart WK](#). Related Articles, Links
 Effect of erythropoietin therapy and withdrawal on blood coagulation and fibrinolysis in hemodialysis patients.
Kidney Int. 1993 Jul;44(1):182-90.
PMID: 8355460 [PubMed - indexed for MEDLINE]

68: [Suh H, Wadhwa NK](#). Related Articles, Links
 Iron dextran treatment in peritoneal dialysis patients on erythropoietin.
Adv Perit Dial. 1992;8:464-6.
PMID: 1361849 [PubMed - indexed for MEDLINE]

69: [Johnson CA, Rosowski E, Zimmerman SW](#). Related Articles, Links
 A prospective open-label study evaluating the efficacy and adverse reactions of the use of Niferex-150 in ESRD patients receiving EPOGEN.
Adv Perit Dial. 1992;8:444-7.
PMID: 1361844 [PubMed - indexed for MEDLINE]

70: [Fleming LW, Hopwood D, Shepherd AN, Stewart WK](#). Related Articles, Links
 Hepatic iron in dialysed patients given intravenous iron dextran.
J Clin Pathol. 1990 Feb;43(2):119-24.
PMID: 2318987 [PubMed - indexed for MEDLINE]

71: [Jelkmann W, Wolff M, Fandrey J](#). Related Articles, Links
 Modulation of the production of erythropoietin by cytokines: in vitro studies and their clinical implications.
Contrib Nephrol. 1990;87:68-77.
PMID: 2128766 [PubMed - indexed for MEDLINE]

72: [Van Wyk DB](#). Related Articles, Links
 Iron management during recombinant human erythropoietin therapy.
Am J Kidney Dis. 1989 Aug;14(2 Suppl 1):9-13.
PMID: 2757026 [PubMed - indexed for MEDLINE]

73: [Macdougall IC, Hutton RD, Cavill I, Coles GA, Williams JD](#). Related Articles, Links
 Poor response to treatment of renal anaemia with erythropoietin corrected by iron given intravenously.
BMJ. 1989 Jul 15;299(6692):157-8. No abstract available.
PMID: 2504356 [PubMed - indexed for MEDLINE]

74: [Spivak JL, Barnes DC, Fuchs E, Quinn TC](#). Related Articles, Links
 Serum immunoreactive erythropoietin in HIV-infected patients.
JAMA. 1989 Jun 2;261(21):3104-7.
PMID: 2716142 [PubMed - indexed for MEDLINE]

75: [Woodruff AW](#). Related Articles, Links
 Recent work concerning anemia in the tropics.
Semin Hematol. 1982 Apr;19(2):141-7. Review. No abstract available.
PMID: 6803362 [PubMed - indexed for MEDLINE]

76: [Fried W](#). Related Articles, Links
Hematologic complications of chronic renal failure.

 Med Clin North Am. 1978 Nov;62(6):1363-79. Review.
PMID: 368451 [PubMed - indexed for MEDLINE]

 77: [Stanchev A, Sheitanov I.](#) [Related Articles](#) [Links](#)

 [Anemia in rheumatoid arthritis]
Vutr Boles. 1977;16(4):9-13. Review. Bulgarian. No abstract available.
PMID: 335663 [PubMed - indexed for MEDLINE]

 78: [Krantz SB.](#) [Related Articles](#) [Links](#)

 Pure red-cell aplasia.
N Engl J Med. 1974 Aug 15;291(7):345-50. Review. No abstract available.
PMID: 4604991 [PubMed - indexed for MEDLINE]

 79: [GROSS S, KEEFER V, NEWMAN AJ.](#) [Links](#)

 THE PLATELETS IN IRON-DEFICIENCY ANEMIA. I. THE
RESPONSE TO ORAL AND PARENTERAL IRON.
Pediatrics. 1964 Sep;34:315-23. No abstract available.
PMID: 14211098 [PubMed - OLDMEDLINE for Pre1966]

 80: [NAKAO K, TAKAKU S.](#) [Links](#)

 [BLOOD DISEASES]
Naika. 1964 Mar;13:418-24. Japanese. No abstract available.
PMID: 14125376 [PubMed - OLDMEDLINE for Pre1966]

 [Display](#)  [Summary](#)  Show: [200](#)  [Sort](#)  [Send to](#)  [Text](#) 

Items 1-80 of 80

One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Oct 2 2003 18:06:20

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2003 ACS on STN
AN 2000:867309 CAPLUS
DN 135:86274
TI Intravenous administration of ***iron*** in epoetin-treated hemodialysis patients-which drugs, which regimen?
AU Macdougall, Iain C.
CS Department of Renal Medicine, King's College Hospital, London, SE22 8PT, UK
SO Nephrology, Dialysis, Transplantation (2000), 15(11), 1743-1745
CODEN: NDTREA; ISSN: 0931-0509
PB Oxford University Press
DT Journal; General Review
LA English
RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L6 1-6

L6 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
AN 2002:692038 CAPLUS
DN 138:378853
TI Experience with the use of an ***Iron*** Polymaltose (Dextrin) Complex Given by Single Total Dose Infusion to Stable Chronic Haemodialysis Patients
AU van Zyl-Smit, Roal; Halkett, Janet A.
CS Department of Medicine, University of Cape Town, S. Afr.
SO Nephron (2002), 92(2), 316-323
CODEN: NPNAY; ISSN: 0028-2766
PB S. Karger AG
DT Journal
LA English
RE.CNT 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
AN 2001:906851 CAPLUS
DN 136:199363
TI Considerations for optimal ***iron*** use for ***anemia*** due to chronic kidney disease
AU Hudson, Joanna Q.; Comstock, Thomas J.
CS Department of Clinical Pharmacy, University of Tennessee, Memphis, TN, USA
SO Clinical Therapeutics (2001), 23(10), 1637-1671
CODEN: CLTHDG; ISSN: 0149-2918
PB Excerpta Medica, Inc.
DT Journal; General Review
LA English
RE.CNT 117 THERE ARE 117 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
AN 2000:867309 CAPLUS
DN 135:86274
TI Intravenous administration of ***iron*** in epoetin-treated hemodialysis patients-which drugs, which regimen?
AU Macdougall, Iain C.
CS Department of Renal Medicine, King's College Hospital, London, SE22 8PT, UK
SO Nephrology, Dialysis, Transplantation (2000), 15(11), 1743-1745
CODEN: NDTREA; ISSN: 0931-0509
PB Oxford University Press
DT Journal; General Review
LA English
RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
AN 2000:48827 CAPLUS
DN 132:92551
TI Parenteral ***iron*** use in the management of ***anemia*** in end-stage renal disease patients
AU Bailie, George R.; Johnson, Curtis A.; Mason, Nancy A.
CS Nephrology Pharmacy Associates, Inc, Ann Arbor, MI, USA
SO American Journal of Kidney Diseases (2000), 35(1), 1-12
CODEN: AJKDDP; ISSN: 0272-6386
PB W. B. Saunders Co.

DT Journal; General Review

LA English

RE.CNT 53 THERE ARE 53 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN

AN 1999:180505 CAPLUS

DN 131:27687

TI Sodium ferric gluconate complex in sucrose: safer intravenous ***iron*** therapy than ***iron*** dextrans

AU Faich, Gerald; Strohos, Jur

CS Pharmaceutical Safety Assessments, Inc., Narberth, PA, USA

SO American Journal of Kidney Diseases (1999), 33(3), 464-470

STN INTERNATIONAL LOGOFF AT 12:17:10 ON 09 OCT 2003